IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

NINGBO YIDA K&B TECH CO., LTD

NO. 55 FENGSHUIGANG INDUSTRIAL ZONE GULINTOWN HAISHU DISTRICT NINGBO, ZHEJIANG, China

Product:

Plumbing Fixture Fittings

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

National Plumbing Code of Canada

Products are certified to the following standard(s)
ASME A112.18.1-2018/CSA B125.1-18

File Number: 16029

Effective Date: February 2024

Void After:

February 2029*

Chairman, Product Certification Committee



Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

C ®

Issued To: NINGBO YIDA K&B TECH CO., LTD Effective Date: February 2024

File Number: 16029

Product: Plumbing Fixture Fittings **Void After:** February 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification

Plumbing supply fittings shall be marked with the manufacturer's recognized name, trademark, or other mark or, in the case of private labeling, the name, trademark or other mark of the customer for whom the fitting was manufactured. The marking shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings on plumbing supply fittings shall be visible after installation.

Showerheads and hand-held showers shall be marked with the manufacturer's specified maximum flow rate, in L/min and gpm.

Kitchen, lavatory, and metering faucets shall be marked with the manufacturer's specified maximum flow rate, in L/min and gpm or L/cycle and gpc.

Single-handle and single-control bath and shower mixing valves shall have their temperature control settings identified alphabetically, numerically, or graphically.

High-efficiency commercial pre-rinse spray valves shall be marked with the manufacturer's specified maximum flow rate, in L/min (gpm).

Listed products shall bear the cUPC® certification mark.

Packaging for plumbing supply fittings shall be marked with the manufacturer's name, trademark, or other mark as well as the model number or, in the case of private labeling, the name, trademark, or mark of the customer for whom the fitting was manufactured as well as the model number.

Packaging for showerheads and hand-held showers shall be marked with the manufacturer's specified maximum flow rate and either the manufacturer's specified minimum flow rate or the statement "For use with automatic compensating valves rated at xxx L/min (yyy gpm) or less", where xxx L/min (yyy gpm) is the manufacturer's specified minimum flow rate.

Packaging for kitchen, lavatory, and metering faucets shall be marked with the manufacturer's specified maximum flow rate, in L/min and gpm or L/cycle and gpc.

Characteristics:

Fittings may include lavatory, sink, bath & shower, lawn and sediment faucets. Plumbing fixture fittings to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code and National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.



Issued To: NINGBO YIDA K&B TECH CO., LTD

Effective Date: February 2024

File Number: 16029

Product: Plumbing Fixture Fittings

Void After: February 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
40118XXxx	Single Hole Bathroom Basin Faucet
40119XXxx	Single Handle Lavatory Faucet
40166XXxx	Single Hole Bathroom Basin Faucet
41518XXxx	Two-Handle Widespread Bathroom Sink Faucet
41566XXxx	Two-Handle Widespread Bathroom Sink Faucet
Premier-TRU-B-SH02ORB	Single Handle Bathroom Faucet
Premier-TRU-B-VF01ORB	Single Traditional Vessel Faucet
Premier-TRU-B-WS01ORB	8" Widespread Bathroom Faucet
96118XXxx	Widespread Kitchen (Bar) Faucet
96218XXxx	Two-Handle Kitchen Water Filter Faucet
96415XXxx	Pull-Down Kitchen Sink Faucet
96416XXxx	High Arc Pull-Down Kitchen sink Faucet
96418XXxx	Pull-Down Kitchen Sink Faucet
96455XXxx	Pull-Down Kitchen Sink Faucet
96466XXxx	Pull-Down Kitchen Sink Faucet
96518XXxx	Pre-Rinse Spring Kitchen Faucet
96563XXxx	Spring Pull-down Kitchen Faucet
96565XXxx	Pre-Rinse Spring Pull-Down Kitchen Faucet
96566XXxx	Pre-Rinse Spring Kitchen Faucet
96716XXxx	Bridge Kitchen Faucet with spray
96718XXxx	Two-Handle Bridge Kitchen Faucet with Side Sprayer
96766XXxx	Two-Handle Kitchen Faucet with Side Sprayer
96818XXxx	Two-Handle Widespread Kitchen Faucet with Side Sprayer
96866XXxx	Two-Handle Widespread Kitchen Faucet with Side Sprayer
96918XXxx	Widespread Kitchen Faucet with Side Sprayer
96966XXxx	Widespread Kitchen Faucet with Side Sprayer
97703XXxx	Kitchen Water Filter Faucet



Issued To: NINGBO YIDA K&B TECH CO., LTD

Effective Date: February 2024

File Number: 16029

Product: Plumbing Fixture Fittings

Void After: February 2029

Model Number	Description
97718XXxx	Kitchen Water Filter Faucet
97918XXxx	Split Pull-down Kitchen Sink faucet
98188XXxx	Deck-Mounted Pot Filler Faucet
98266XXxx	Wall Mounted Pot Filler Faucet
98288XXxx	Wall Mounted Pot Filler Faucet
Premier-TRU-B-BV01ORB	Single Handle Bar or Vessel Filler Faucet
Premier-TRU-K-DW010RB	No Lead Drinking Water Faucet
Premier-TRU-K-PD01ORB	Single Handle Pull-down Kitchen Faucet
Premier-TRU-K-SPD02ORB	Spring Pull-down Kitchen Faucet
xx	Represents different finishes
AB	Antique Bronze
AC/C	Antique Copper
AL	Almond
ARB	Antique Rubbed Bronze
В	Biscuit
BB	Black Bronze
BBN	Black Brushed Nickel
BBS	Brushed Brass
BC	Brushed Chrome
BG	Black Granite
BL	Black
BN	Brushed Nickel
BNP	Brushed Nickel PVD
BP	Black Pearl
CF	Coffee
CO	Copper
СР	Chrome
CW	Ceramic White



Issued To: NINGBO YIDA K&B TECH CO., LTD

Effective Date: February 2024

File Number: 16029

Product: Plumbing Fixture Fittings **Void After:** February 2029

xx	Represents different finishes
DBB	Dark Bright Blue
FP	flower pattern
IW	Ivory-white
MB	Matte Black
MC	Mocca Coffee
NI	Nickle
ORB	Oil Rubbed Bronze
РВ	Polished Brass
PG	Polished Gold
PN	Pearl Nickle
RB	Rustic Bronze
RP	Rustic Pewter
SB	Satin Black
SC	Stain Chrome
SN	Stain Nickel
SS	Stainless Steel Brushed
SSP	Stainless Steel Brushed PVD
TC	Three Chrome
W	White
ZG	Zirconium Gold
Note:	The suffixes of capital letters "XX" are part of the model name.



Issued To: NINGBO YIDA K&B TECH CO., LTD

Effective Date: February 2024

File Number: 16029

Product: Plumbing Fixture Fittings

Void After: February 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Additional Company Information

Akicon Inc

Model Number	Description
AK40118-xx/AK40118A-xx	Single Hole Bathroom Basin Faucet
AK40166-xx/AK40166A-xx	Single Hole Bathroom Basin Faucet
AK41518-xx	Two-Handle Widespread Bathroom Sink Faucet
AK41566-xx	Two-Handle Widespread Bathroom Sink Faucet
AK96118P1-xx/AK96118P2- xx/AK96118P2- xx/NX96118P1-xx	Widespread Kitchen (Bar) Faucet
AK96218A-xx/AK96218P1- xx	Two-Handle Kitchen Water Filter Faucet
AK96415-xx	Pull-Down Kitchen Sink Faucet
AK96416-xx	High Arc Pull-Down Kitchen sink Faucet
AK96418-xx/NX96418-xx	Pull-Down Kitchen Sink Faucet
AK96455-xx	Pull-Down Kitchen Sink Faucet
AK96466-xx	Pull-Down Kitchen Sink Faucet
AK96518-xx/AK96518A-xx	Pre-Rinse Spring Kitchen Faucet
AK96565-xx	Pre-Rinse Spring Pull-Down Kitchen Faucet
AK96566-xx	Pre-Rinse Spring Kitchen Faucet
AK96718-xx/NX96718-xx	Two-Handle Bridge Kitchen Faucet with Side Sprayer
AK96766-xx	Two-Handle Kitchen Faucet with Side Sprayer
AK96818-xx	Two-Handle Widespread Kitchen Faucet with Side Sprayer
AK96866-xx/AK96866N1- xx/NX96866-xx	Two-Handle Widespread Kitchen Faucet with Side Sprayer
AK96918-xx/AK96918P1- xx/AK96918P2-xx	Widespread Kitchen Faucet with Side Sprayer



Issued To: NINGBO YIDA K&B TECH CO., LTD

Effective Date: February 2024

File Number: 16029

Product: Plumbing Fixture Fittings

Void After: February 2029

Model Number	Description
AK96966-xx	Widespread Kitchen Faucet with Side Sprayer
AK97703-xx	Kitchen Water Filter Faucet
AK97718-xx/AK97718P1- xx/AK97718A1- xx/AK97718P2-xx/NX97718- xx	Kitchen Water Filter Faucet
AK97918-xx	Split Pull-down Kitchen Sink faucet
AK98188-xx	Deck-Mounted Pot Filler Faucet
AK98266-xx	Wall Mounted Pot Filler Faucet
AK98288-xx/NX98288- xx/AK98288N1- xx/AK98288P1-xx	Wall Mounted Pot Filler Faucet
xx	Represents different finishes
AB	Antique Bronze
AC/C	Antique Copper
AL	Almond
ARB	Antique Rubbed Bronze
В	Biscuit
ВВ	Black Bronze
BBN	Black Brushed Nickel
BBS	Brushed Brass
BC	Brushed Chrome
BG	Black Granite
BL	Black
BN	Brushed Nickel
BNP	Brushed Nickel PVD
BP	Black Pearl
CF	Coffee
CO	Copper
CP	Chrome



Issued To: NINGBO YIDA K&B TECH CO., LTD

Effective Date: February 2024

File Number: 16029

Product: Plumbing Fixture Fittings **Void After:** February 2029

xx	Represents different finishes
CW	Ceramic White
DBB	Dark Bright Blue
FP	flower pattern
IW	Ivory-white
MB	Matte Black
MC	Mocca Coffee
NI	Nickle
ORB	Oil Rubbed Bronze
PB	Polished Brass
PG	Polished Gold
PN	Pearl Nickle
RB	Rustic Bronze
RP	Rustic Pewter
SB	Satin Black
SC	Stain Chrome
SN	Stain Nickel
SS	Stainless Steel Brushed
SSP	Stainless Steel Brushed PVD
TC	Three Chrome
W	White
ZG	Zirconium Gold